

Die Ovens



For the extrusion process to run smoothly, accurate temperatures are key. Nowhere is this more important than at the press. Not only must the billet be heated to the correct temperature, the die must be as well. A die that isn't at the proper temperature when it is needed will slow the operation down, and add stress to the press.

With **GRANCO CLARK** Die Ovens, airflow and recirculation are engineered for quick and uniform heating. This results in less downtime, less strain on the press, and better surface quality for the extrusion.

One of the hallmarks of **GRANCO CLARK** Die Ovens is their durability. They feature strong shells that are extremely resistant to the impacts of die mishandling. You'll spend very little time maintaining them, and they're constructed with maintenance in mind.

Whatever your operational and budgetary parameters are, there's a **GRANCO CLARK** die oven that will meet them.

Chest-Type Model

- Rugged construction
- Well designed air-circulation system
- Top opening, hinged lid or sliding lid
- Longevity
- Low maintenance
- Space savings


Multi-Compartment Model

- Multiple, individually heated drawers, each capable of holding several dies
- Easy access to all dies
- Top-quality construction
- Simultaneous heating of dies with different thermal requirements, increasing productivity
- Better thermal uniformity (less need to mix cold dies with hot dies)
- Reduced heat loss during die handling, which saves energy and increases temperature uniformity for better profile quality
- Increased safety
- Increased efficiency
- Durability
- No reaching required

Infrared Model [see page 51, 52]

Infrared Hybrid

- Convection oven reliability with faster heat-up times
- Top-loading and front-loading designs are available
- Less thermal stress
- Excellent for large die sizes



- Leader in Heat Up Times
- Convection, Radiant and Hybrids Available
- Many Configurations Available Top/Front/Even Bottom Load
- Cool Skin Temperatures



Extrusion expertise that's always within reach

U.S.A.

Headquarters

7298 N. Storey Road
Belding, MI USA 48809
Phone: +1-616-794-2600
Toll-free: +1-800-918-2600
General fax: +1-616-794-1899
Sales fax: +1-616-794-2878

e-mail: gcinfo@grancoclark.com

Dubai

Dubai, United Arab Emirates

ALTEAM FZE
PO Box 213160
Dubai, United Arab Emirates

Contact: Hovig Karayan
PH +971 (4) 441 9785
FX +971 (4) 421 9737
e-mail: alteam.dubai@gmail.com or
info@alteamfze.com

India

India

Hetpan Overseas
B-407/408, Kailash Esplanade
L.B.S. Margbr Ghatkopar (West)
Mumbai India 400 086
PH +91-22-2500 7038
FX +91-22-2500 7336

Contact: Ketan Sheth
e-mail: ketansheth@hetpan.net
web site: www.hetpan.net

Australia

Australia, New Zealand

Furnace Engineering Pty Ltd
50 Howleys Road
Notting Hill VIC 3168
Australia
PH +61-3 9544 2922
FX +61-3 9544 2723

Contact: Jason Reints
info@furnace.com.au

Brazil

Commerx LTDA

Alameda Ametista, 189
06540225 Santana de Parnaiba, SP,
Brazil
PH/FX +55-11-4152 3610

e-mail: fred@commerx.com.br
web site: www.commerx.com.br

Thailand

Pathakit Company, Ltd

69/131 Moo 5, Bueng Khamproi
Lam Lukka Road, Lam Lukka
Pathumthani, 12150 Thailand
PH +66-2-532 7044
FX +66-2-532 7045

Contact: Saratoon Laisakul
e-mail: saratoon@ksc.th.com

7298 N. Storey Road
Belding, MI 48809

+1-800-918-2600
gcinfo@grancoclark.com | www.grancoclark.com



Form: GCB0110316-V2